



Texas A/S • Denmark
Tel. +45 6595 5599
export@texas.dk
www.texas-garden.com

TEXAS DANISH DESIGN

2015
TEXAS CATALOGUE



Scan the many QR codes in the catalogue.

DEALER:

TILLERS, LAWN MOWERS, BRUSH CUTTERS,
SWEEPERS, LOG SPLITTERS AND MORE...

NEWS 2015



DEAR READER AND TEXAS CUSTOMER

We are pleased to introduce our export catalogue 2015.

With almost 60 years in the business as provider for outdoor equipment we are proud to introduce a new edition of our export catalogue – and again with various novelties.

Innovation, functionality, and respect for the demands from our many end users around the world are key words for our way of business.

No matter if you are a homeowner or a professional user with highest possible demands we strive to tailor our products exactly for your needs.

Today's global end user demands a continuous development of products with the newest features, high quality and most favourable conditions.

With a growing business and activities in more than 30 countries Texas has proven an ability to provide the solutions, which our customers appreciate.

And Texas will continue to invest in innovation and product development.

So no matter if you are one of our long time partners or you are considering cooperating with Texas in the future there are again in 2015 lots of business opportunities.

We look forward to a great year together!

Best regards
The TEXAS team

You are welcome to contact us by mail, fax or phone:

Address:

Texas A/S

Knullen 22

DK-5260 Odense S

Denmark

Phone: +45 6395 5599

Fax: +45 6395 5558

E-mail: export@texas.dk

www.texas-garden.com



SOIL

MINI CULTIVATORS

HOBBY TILLERS

TX & FUSION TILLERS

RT 450TG & PRO TRAC 2-WHEELED TRACTORS

4

5

6

8



GRASS

LAWN MOWERS

BRUSH CUTTERS AND TRIMMERS

EC8700 GASOLINE LAWN EDGER • PRO CUT PROFESSIONAL SCARIFIER

MULTI CUT 900 GRASS CUTTER

10

14

16

17



CLEANING

HANDY SWEEP SWEEPERS

PRO SWEEP SWEEPERS

COMBI 800 MULTI MACHINES

SNOW KING SNOW THROWERS

CENTRIFUGE SPREADERS FOR SALT AND FERTILIZER

ELECTRIC AND PUSH SNOW THROWERS

19

20

22

24

25

25



WOOD

POWER SPLIT LOG SPLITTERS

POWER SAW LOG SAWS

26

28



ADDITIONAL PRODUCTS

EARTH AUGERS

TEX PARTS

COLLECTION OF QR CODES

THE TEXAS STORY

29

30

30

31

TEXAS TILLERS

4-stroke gasoline Robin Subaru engine. Professional, powerful and silent.

Foldable handles act as carrying handle and makes storage easy.



MINI CULTIVATORS

Mini Cultivators are perfect in smaller flowerbeds, between bushes and other narrow spaces. Easy to manoeuvre and transport due to the light weight and handy design.



Model:	El-Tex 1400	El-Tex 2000	Minitex 204R
Engine:	Electric 230V/1400W	Electric 230V/2000W	Robin Subaru EH035V, 4-stroke/33.5 cc
Working width:	38 cm	45 cm	15-26 cm
Working depth:	21 cm	26 cm	20 cm
Handle:	Fixed	Fixed	Adjustable
Weight:	12 kg	32.1 kg	12 kg
Cat. no.:	90063077	90063078	90068040



Scan the QR code and watch Hobby 400B in action.



ACCESSORIES for Hobby 380/400/500

	Hobby 380/400	Hobby 500		Cat. No.:
Ridger (Needs 10" wheels)	•			91032500100
Ridger (Needs rear console and 12" wheels)		•		91060500100
Rake 60 cm (Needs 10" wheels)	•			91031000100
Rake 80 cm (Needs rear console and 12" wheels)		•		91062500100
Weeder 40 cm (Needs 10" wheels)	•			91031500100
Weeder 65 cm (Needs rear console and 12" wheels)		•		91061500100
Wheels set 10"	•			91032000100
Wheels set 12"		•		91053000100
Scarifier 55 cm	•			91033000100
				91097000100
				91060700100
				91061000100
				91059000100
				40-11720

HOBBY TILLERS

Ideal for the hobby gardener. Light weight construction, easy to use and easy to transport.

Hobby 380/400 suitable up to 300 m²

Hobby 500 series suitable up to 600 m².



Model:	Hobby 380TG	Hobby 400B	Hobby 500B	Hobby 500BR	Hobby 500TG	Hobby 500TGR
Engine:	Powerline TG385, 4-stroke/113 cc	Briggs & Stratton 500, 4-stroke/158 cc	Briggs & Stratton 650, 4-stroke/190 cc	Briggs & Stratton 650, 4-stroke/190 cc	Powerline TG485, 4-stroke/139 cc	Powerline TG485, 4-stroke/139 cc
Transmission:	1 forward	1 forward	1 forward	1 forward + 1 reverse	1 forward	1 forward + 1 reverse
Rotor speed:	130 rpm	130 rpm	95 rpm	95 rpm	95 rpm	95 rpm
Working width:	38 cm	38 cm	50 cm	50 cm	50 cm	50 cm
Working depth:	20 cm	20 cm	Down to 33 cm	Down to 33 cm	Down to 33 cm	Down to 33 cm
Handle:	Adjustable	Adjustable	Adjustable	Adjustable	Adjustable	Adjustable
Weight:	28 kg	28 kg	42 kg	43 kg	42 kg	43 kg
Cat. no.:	90061503	90260020100	90265044100	90265244100	90061511	90265290100

TX TILLERS

Effective and easy-to-handle machine which is simple to use, yet strong in power with a wide range of accessories (see p. 7). The rotor knives are detachable for maximum flexibility and made of hardened steel.

TX tillers are suitable for areas up to 1000 m².



Scan the QR code and watch the TX tiller in action.



Model:	TX 601TG	TX 601B	TX 602TG	TX 602B
Engine:	Powerline TG720, 4-stroke/212 cc	Briggs & Stratton 950, 4-stroke/208 cc	Powerline TG720, 4-stroke/212 cc	Briggs & Stratton 950, 4-stroke/208 cc
Transmission:	1 forward + 1 reverse	1 forward + 1 reverse	1 forward + 1 reverse	1 forward + 1 reverse
Rotor speed:	110 rpm	110 rpm	110 rpm	110 rpm
Working width:	36-55-85 cm	36-55-85 cm	36-55-85 cm	36-55-85 cm
Working depth:	33 cm	33 cm	33 cm	33 cm
Handle:	Fixed	Fixed	Adjustable all directions	Adjustable all directions
Knives:	Detachable and bolted	Detachable and bolted	Detachable and bolted	Detachable and bolted
Weight:	56.5 kg	55.5 kg	60.5 kg	60 kg
Cat. no.:	90061195	90061149	90061295	90061249

FUSION TILLERS

Build for extreme work load and satisfy the requirements from professional and demanding users. The 2 speed integrated gear box gives superb work performance for cultivating as well as ploughing. With the universal adapter most accessories on the market can be attached to the machine.

Texas cultivating knives are considered to be the best on the market!

Fusion 10 models are suitable for areas up to 3000 m².



Model:	Fusion 10TG Vario		Fusion 10B Vario	
Engine:	Powerline TG720S 4-stroke/212 cc		Briggs & Stratton Vanguard, 4-stroke/205 cc	
Transmission:	2 forward + 1 reverse integrated oil bath gear box	Totally 8 speeds available	2 forward + 1 reverse integrated oil bath gear box	Totally 8 speeds available
Rotor speed:	From 40-100 rpm		From 40-100 rpm	
Working width:	38-62-70-93 cm		38-62-70-93 cm	
Working depth:	38 cm		38 cm	
Handle:	Multi adjustable		Multi adjustable	
Knives:	Detachable and bolted		Detachable and bolted	
Weight:	90 kg		92,5 kg	
Cat. no.:	90068031		90068032	

• FUSION 10 is a multi functional machine suitable for demanding tasks in horticulture, agriculture as well as private use in bigger garden areas.

• Thanks to 8 different working speeds available the optimum working results are achievable in any condition of weather or surface. Rotation speed of knives from 40-100 rpm (measured at the center of blade shaft).

• Strong and powerful cast iron gearbox with oil bath ensures maximum lifetime and minimum maintenance during any type of working condition.

• Long and steady handle bar with additional length gives an ergonomic working position even with rear mounted accessories. The handle bar can be angled in 5 positions up/down and 5 positions sideways.

• Cultivator blades in hardened steel can be mounted in 3 modules with 3 working widths: 38-62-70-93cm.



LIFETIME GUARANTEE
against breakage on cultivator blades!
(Normal abrasion not covered)

Foot operated support wheels. Easy and quick usable system, which transforms the machine from working mode to transport mode.

Texas has a complete range of various accessories for tillers, which can be mounted for several tasks in the garden all year. Texas tillers are not only a tiller, but a multi functional machine.

The range of accessories includes ridger for earthing up potatoes, scarifier for the lawn and snow blade for snow removal in the winter.

ACCESSORIES

for TX and Fusion series

	TX	Fusion		Cat. No.:
Ridger 6" (Needs 12" wheels or iron wheels and rear console)	•			91060500100
Ridger 7" (Needs 18" wheels or iron wheels)	•			91076100100
Plough 6" (Needs 12" wheels or iron wheels and rear console)	•			91093000100
Plough 7" (Needs 18" wheels or iron wheels)	•			91076000100
Turning plough 7" (Needs 18" wheels or iron wheels)	•			91076200100
Harrow 60 cm (Needs 12" wheels and rear console)	•			91070000100
Harrow 60 cm (Needs 18" wheels)	•			91062500100
Rake 80 cm (Needs 12" wheels and rear console)	•			91062500100
Rake 80 cm (Needs 18" wheels)	•			91062500100
Lawn spiker 66 cm (Needs rear console)	•			91051550100
Lawn spiker 66 cm	•			91051550100
Weeder 65 cm (Needs 12" wheels and rear console)	•			91061500100
Weeder 65 cm (Needs 18" wheels)	•			91061500100
Potatoe plough (Needs 18" wheels)	•			91061200100
Snow blade 75 cm incl. attachment (Needs front attachment plate and 18" wheels)	•	•		92000160100

Trailer with seat (Needs 18" wheels)

• 91075000100

Wheels set 12" (4.00 x 4 wheels)

• 91053000100

Wheels set 18" (5.00 x 10 wheels)

• 91075500100

Wheel weight set 12" (10 kg each)

• 91097000100

Wheel weight set 18" (21.5 kg each)

• 91075400100

Iron wheels set 12"

• 91060700100

Iron wheels set 18"

• 91075300100

Side disc set f/12"

• 91061000100

Side disc set f/18"

• 91075700100

Rotor knife set 30 cm extension width

• 91050700100

Rear console

(Used when the accessory is rear mounted)

• 91057000100

Front attachment plate

• 91058000100

Front attachment plate

• 91076800100

Basis front weight, 12 kg

(Needs front attachment plate)

• 91090000100

Additional front weight, 12 kg

• 91090500100

Weather cover (Used as protection from dust and rain)

• 40-11720

TEXAS 2-WHEELED TRACTORS

Texas Pro Trac 2-wheeled tractors are ideal multi purpose machines for the demanding user, and the wide range of accessories make the machines suitable for many tasks – all year.

The rear mounted tillers are used for general cultivation and soil preparation of larger areas for sowing in the spring. Use the professional sweeper unit for cleaning of up to 20-30 cm snow in wintertime or the snow blade for removal of even larger amount of snow. Snow chains give a better grip in all terrain and the 1000 Lumen LED torch gives possibility to work in dark conditions.

Furthermore, the collection box is ideal for collecting sand, leaves etc. for all-year cleaning.

With a strong gear construction, the Texas Pro Trac models are suitable for demanding tasks and in all kind of terrain and this construction has long lifetime and less maintenance.

Pro Trac models have a unique quick clutch system for easily change of the various accessories – no tools needed. The Pro Trac range has gasoline and diesel engine options, and 12V electric start function for easy and comfortable start of engine.

RT 450TG

Model:	RT 450TG
Engine:	Powerline TG650B, 4-stroke/196 cc
Starter:	Recoil
Transmission:	1 forward + 1 reverse
Working width:	46 cm
Working depth:	20 cm
Handle:	Fixed
Rotor speed:	157 rpm
Weight:	90 kg
Cat. No.:	90068050




Perfect for preparation of planting soil and flower beds. It is not possible to attach tools on the RT 450TG.

PRO TRAC

All Pro Trac models have reversible handle bar, quick clutch and differential lock. Strong and integrated gear construction for the professional and demanding user.



Model:	Pro Trac 750TG	Pro Trac 750D	Pro Trac 950TGE	Pro Trac 950DE
Engine:	Powerline TG720S, 4-stroke/212 cc	Powerline TD420 diesel, 4-stroke/211 cc	Powerline TG920ES, e-start, 4-stroke/420 cc	Powerline TD900E diesel, e-start, 4-stroke/406 cc
Starter:	Recoil	Recoil	Recoil + 12V electric start	Recoil + 12V electric start
Transmission:	1 forward + 1 reverse	1 forward + 1 reverse	3 forward + 3 reverse	3 forward + 3 reverse
Working width:	50 cm	50 cm	37-68 cm	37-68 cm
Working depth:	16 cm	16 cm	16 cm	16 cm
Wheel size:	4.00 x 8	4.00 x 8	5.00 x 10	5.00 x 10
Handle:	Adjustable	Adjustable	Adjustable	Adjustable
Rotor speed:	290 rpm	290 rpm	290 rpm	290 rpm
Differential lock:	✓	✓	✓	✓
Quick clutch system for attaching tools:	✓	✓	✓	✓
Weight (drive+tiller unit):	99 kg	109 kg	139 kg	163 kg
Cat. No. drive unit:	90041560	90041570	90041580	90041590
Cat. No. rear tiller:	90042511	90042511	90042512	90042512



ACCESSORIES for Pro Trac

	750	950	Cat. No.:			
Rear tiller 50 cm	•		90042511	Trailer with seat	• •	90042514
Rear tiller 37-68 cm	•		90042512	Snow chains for 4.00 x 8 wheels	•	90042508
Sweeper 80 cm	•		90042501	Snow chains for 5.00 x 10 wheels	•	90042509
Sweeper 80 cm	•		90042503	Snow blade 80 cm	•	90042505
Sweeper 100 cm	•		90042502	Snow blade 100 cm	•	90042506
Collection box 80 cm	•		93300200100	LED torch excl. charger for 950DE	•	90067091
Collection box 100 cm	•		90042504	LED torch incl. charger for 950TGE	•	90067092

TEXAS LAWN MOWERS

The Razor "vario" series offer mobility and power at the same time. With a variomatic gear, the work on the lawn can be adapted to almost any condition. Combined with a battery powered electric starter, the user will experience a perfect balance between user friendliness and work effectiveness.

Choose between vario razor lawn mowers with steel decks or the WLA model with high quality aluminium deck, 70 ltr collector box and a heavy duty height adjustment system. The aluminium deck offers the advantage of longer lifetime due to protection against rust.



WLA 53TR/W LAWN MOWER



Aluminium deck & Ready Start function!

Model:	WLA 53TR/W
Engine:	Briggs & Stratton 675, 190 cc
Transmission:	Selfpropelled
Collection bag:	70 ltr.
Deck:	Aluminium
Height adjustment:	Central 7 pos. 30-90 mm
Bearings:	Ball bearings
Wheel size:	8"/11"
Handle:	Adjustable (3 positions)
Cutting system:	3-in-1
Functions:	Mulching, rear collect & rear discharge
Weight:	45 kg
Cat. No.:	90066059



Variomatic transmission offers many advantages:



- Speed adjustment from 2.7 km/h equal to slow working speed up to 5.0 km/h corresponding to brisk walking speed.
- Maximum comfort as speed can be adjusted according to the mobility and the walking speed of the individual user.
- Ideal work result no matter the length of the grass. The speed can easily be adjusted to cut efficiently through the grass in short, long, wet or dry conditions.

RAZOR VARIO LAWN MOWERS



Model:	Razor 5160 TR/WE	Razor 5180TR/WE
Engine:	Powerline TG570E 173 cc, e-start	Briggs & Stratton 625E 190 cc, e-start
Cutting width:	51 cm	51 cm
Transmission:	Selfpropelled 4-speed (2.7 – 5.0 Km/h)	Selfpropelled 4-speed (2.7 – 5.0 Km/h)
Collection bag:	65 ltr.	65 ltr.
Deck:	Steel	Steel
Height adjustment:	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm
Bearings:	Ball bearings	Ball bearings
Wheel size:	8"/11"	8"/11"
Handle:	Adjustable (2 positions)	Adjustable (2 positions)
Cutting system:	4-in-1	4-in-1
Functions:	Mulching, rear collect, rear discharge & side discharge	Mulching, rear collect, rear discharge & side discharge
Weight:	43 kg	39 kg
Cat. No.:	90066069	90066100

RAZOR LAWN MOWERS

Choose between 46 to 51 cm working width and B&S or Texas Powerline engine and additional general features such as: 4-in-1 function, bigger wheels with ball bearings, ergonomic handle with comfort plastic grip, front lifting grip and much more.



Model:	Razor 5100	Razor 4610	Razor 4610TR/W	Razor 4650TR/WE
Engine:	Powerline TG475, 139 cc	Powerline TG470, 139 cc	Powerline TG470, 139 cc	TG470E 139cc, E-start
Cutting width:	50 cm	46 cm	46 cm	46 cm
Transmission:	Push	Push	Selfpropelled	Selfpropelled
Collection bag:	-	65 ltr.	65 ltr.	65 ltr.
Deck:	Steel	Steel	Steel	Steel
Height adjustment:	Individual 5 pos. 28-75 mm	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm
Bearings:	Bushings	Ball bearings	Ball bearings	Ball bearings
Wheel size:	7"	7"/8"	7"/10"	7"/10"
Handle:	Fixed	Adjustable (2 positions)	Adjustable (2 positions)	Adjustable (2 positions)
Cutting system:	2-in-1	3-in-1	4-in-1	4-in-1
Functions:	Mulching & side discharge	Mulching, rear collect & rear discharge	Mulching, rear collect & rear discharge, side discharge	Mulching, rear collect & rear discharge, side discharge
Weight:	26 kg	30 kg	33 kg	41 kg
Cat. No.:	90066185	90066071	90066073	90066113



Model:	Razor 4680TR/W	Razor 5110TR/W	Razor 5130TR/W	Razor 5150TR/WE
Engine:	Briggs & Stratton 500E, 140 cc	Powerline TG470, 139 cc	Briggs & Stratton 625E, 190 cc	Powerline TG570E 173 cc, e-start
Cutting width:	46 cm	51 cm	51 cm	51 cm
Transmission:	Selfpropelled	Selfpropelled	Selfpropelled	Selfpropelled
Collection bag:	65 ltr.	65 ltr.	65 ltr.	65 ltr.
Deck:	Steel	Steel	Steel	Steel
Height adjustment:	Central 6 pos. 28-75 mm			
Bearings:	Ball bearings	Ball bearings	Ball bearings	Ball bearings
Wheel size:	7"/10"	8"/11"	8"/11"	8"/11"
Handle:	Adjustable (2 positions)	Adjustable (2 positions)	Adjustable (2 positions)	Adjustable (2 positions)
Cutting system:	4-in-1	4-in-1	4-in-1	4-in-1
Functions:	Mulching, rear collect & rear discharge, side discharge	Mulching, rear collect, rear discharge & side discharge	Mulching, rear collect, rear discharge & side discharge	Mulching, rear collect, rear discharge & side discharge
Weight:	30.5 kg	37 kg	35.5 kg	43 kg
Cat. No.:	90066066	90066075	90066077	90066078

Comfortable and ergonomic grip.

Dashboard with throttle + choke function and space for 2 drinking bottles.

Razor 5150TR/WE and 4650TR/WE have electric start for easy start of the lawn mower.

Ergonomic recoil handle.

Water inlet for easy clean of deck.

Indication board, when grass box is full.

Big 65 ltr. collection bag.

4-in-1 function: Side discharge, rear discharge, rear collection and mulching.

Big wheels 8"/11".

3-in-1



Mulching requires a regular lawn mowing, 1-2 times per week, where the grass is dry, in order to get the best result.



Rear discharge is suitable for places, where the grass is not cut so often and where it is therefore long.



Collection bag is ideal for most types of gardens, where the grass is cut regularly.



Side discharge is a good solution for places, where the grass is long and not cut so often.

4-in-1



Rain cover for lawn mower

Cat. No.: 40-11720

TEXAS BRUSH CUTTERS AND TRIMMERS



PRO TRIM BRUSH CUTTER

Texas Pro Trim 560 is fitted with a strong 4-stroke Powerline engine, and it is ideal for bigger areas. The 14" wheels with ball bearings makes it suitable for maneuvering in rough terrain, and the adjustable handle bar provides ergonomic working conditions.

This model is user-friendly as the operation is very simple, and the ergonomic working position ensures that shoulders and back will not be strained during work.

Model:	Pro Trim 560
Engine:	Powerline TG595, 173 cc
Working width:	56 cm (max.)
Working height:	37.5 or 75 mm
Trimmer line:	4 mm
Transmission:	Push
Wheel size:	14" ball bearings
Handle:	Adjustable
Weight:	31 kg
Cat. No.:	90063089

Strong 173 cc Powerline engine.

Adjustable handle for optimal working position.

Big 14" wheels with ball bearings provide easy manoeuvring in any type of terrain.

Adjustable cutting height.

Strong 4 mm nylon line, which can easily be exchanged.



BRUSH CUTTERS AND TRIMMERS

Texas brush cutters are cost effective and in a reliable quality. The range goes from 26 cc up to 43 cc and the engines are 2- or 4-stroke EURO 2 approved.

The models are fitted with adjustable handles, and comfortable carrying harness as standard, which gives the user ergonomic and optimal working position.



Model:	GTU26S	BCU33S	BCU43	BC335-4	BCP4300
Engine:	Powerline 2-stroke/26 cc	Powerline 2-stroke/33 cc	Powerline 2-stroke/43 cc	Powerline 4-stroke/33.5 cc	Powerline 2-stroke/43 cc
Cutting width:	38 cm line	43 cm line/ 25 cm blade	43 cm line/ 25 cm blade	43 cm line/ 25 cm blade	43 cm line/ 25 cm blade
Cutting blade:	-	3-tooth cutting blade	3-tooth cutting blade	3-tooth cutting blade	3-tooth cutting blade
Trimmer head:	Tap'n go 2.0 mm	Tap'n go 2.4 mm	Tap'n go 2.4 mm	Tap'n go 2.4 mm	Tap'n go 2.4 mm
Shaft:	Curved/dividable	Straight/dividable	Straight	Straight	Straight
Handle:	P-handle	V-handle	V-handle	V-handle	V-handle
Harness:	-	Double shoulder	Double shoulder	Professional	Professional
Weight:	5.5 kg	7.7 kg	7.8 kg	8.1 kg	9.8 kg
Cat. No.:	90067055	90067057	90067058	90062038	90067071

Powerful engine with easy start function and Walbro carburettor.

Anti vibration-system between engine and gear.

28mm outer shaft.

Quick release system for easy change of blade/trimmer head.

Strong gear component ensures optimal lubrication during work.



BCU33M is multifunctional! Incl. hedge trimmer, chain saw, trimmer and brush cutter.

Model:	BCU33M	Accessory:	Chain saw*	Hedge trimmer*
Engine:	Powerline 2-stroke/33 cc	Bar type:	Oregon	Double cutting blades
Cutting width:	43 cm line/25 cm blade	Bar length:	25 cm	41 cm
Cutting blade:	3-tooth cutting blade	Cutting dia.:	-	24 mm
Trimmer head:	Tap'n go 2.4 mm	* included with the BCU33M		
Shaft:	Straight/dividable	Accessory:	Extension bar	
Handle:	P-handle	Bar length:	76 cm	
Harness:	✓	Cat. No.:	90067063	
Weight:	7.7 kg			
Cat. No.:	90067059			

EC8700 GASOLINE LAWN EDGER

A reliable lawn edger for the demanding user, who needs the flexibility with a gasoline powered lawn edger. This machine helps you get a perfect edge along driveways and flowerbeds.

Model:	EC8700
Engine:	4-stroke/87 cc
Working depth:	10-25-45 mm
Handle:	Adjustable with soft grip
Transmission:	Push
Blade:	3-tooth
Adjustable blade angle:	+/- 15°
Wheel size:	8"
Weight:	27 kg
Cat. No.:	90063088

Large 8" wheels which ensure maximum mobility during work.

Working depth can easily be adjusted in 3 levels from 10-45 mm.

The blade can be angled 15° to each side.



Powerful 414 cc engine ensures sufficient power for any terrain. Even hilly slopes will not stop the efficiency of the Multi Cut.

4 speed forward and 1 speed reverse: Speed can be regulated to the best working condition according to the terrain and height of vegetation.

PRO CUT PROFESSIONAL SCARIFIER

Strong and professional gasoline scarifiers for removing moss and airing the grass roots. With 48 flying blades of hardened steel, which provide high durability and long life.

IDEAL FOR RENTAL BUSINESS



48 all moving knives of hardened steel

Model:	Pro Cut 460TG	Pro Cut 460B
Engine:	Powerline TG620, 179 cc	Briggs & Stratton 950, 208 cc
Working width:	46 cm	46 cm
Working depth:	0-3 cm	0-3 cm
Rotor diameter:	21 cm	21 cm
Transmission:	Push	Push
Deck:	Steel	Steel
Knives:	48 knives	48 knives
Weight:	66 kg	66 kg
Cat. No.:	91546094100	91546049100

Perfect balance which reduces work load of the user.

Re-inforced cutter blades and flexible cutting deck for various terrains.

Big 6.50 x 8 wheels, ideal for rough terrain.



MULTI CUT 900 GRASS CUTTER

No matter the roughness of the terrain the Multi Cut 900 will work its way through it and deliver a perfect result. The machine is an indispensable tool for the farmer, municipality, landscaper or owner of bigger areas with vegetation that needs to be kept down. With multiple speeds and terrain wheels the operation of the machine is very easy despite the power and sturdiness of the construction.

Model:	Multi Cut 900TG
Engine:	Loncin, 414 cc
Cutting width:	66 cm
Cutting height:	10 cm
Transmission:	4 forward + 1 reverse
Deck:	Steel
Wheel size:	6.50 x 8
Weight:	130 kg
Cat. No.:	90068051

TEXAS SWEEPERS

Texas sweepers are perfect for **ALL YEAR CLEANING** – summer and winter!



Watch the video of Handy Sweep 710 in action!

230V electric start. Simply attach a cable, push the starter button and the engine starts. Perfect also in cold conditions.

Ergonomic clutch handle for forward and reverse speed.

The sweeper can be angled 22° to each side.


Ergonomic clutch handle for brush rotation.



The brush speed and quantity of the nylon threads makes the Handy Sweep specially suitable for snow removal and cleans snow heights up to 15-20 cm.

HANDY SWEEP

Compact and user friendly walk behind sweepers suitable for all year cleaning – summer and winter. The machines are highly manoeuvrable and perfect for cleaning around house blocks, parking lots, smaller shop areas and many other places where quick and effective cleaning is needed.



Model:	Handy Sweep 650TG	Handy Sweep 710TGE	Handy Sweep 710B
Engine:	Powerline TG720S / 212cc	Powerline TG720ES, e-start 212 cc	Briggs & Stratton 950, 208 cc
Transmission:	3 forward + 1 reverse	3 forward + 1 reverse	3 forward + 1 reverse
Sweeping width:	60 cm	70 cm	70 cm
Brush diameter:	35 cm	35 cm	35 cm
Wheel size:	4.10 x 13	4.10 x 13	4.10 x 13
Starter:	Recoil	Recoil + 230V electric start	Recoil
Handle:	Fixed	Fixed	Fixed
Adjustable sweeper angle:	+/- 22°	+/- 22°	+/- 22°
Weight:	73 kg	75 kg	74,5 kg
Cat. no.:	90067505	90067512	90067513

ACCESSORIES for Handy Sweep

	650	710	Cat. No.:		
Collection box 60 cm	•		90228000100	Snow chains for 4.10 x 13 wheels	90228700100
Collection box 70 cm		•	90228100100		
Snow blade 60 cm	•		90228500100	Rechargeable LED torch incl. universal adapter and 230V charger	90067090
Snow blade 70 cm		•	90228600100		

TEXAS PRO SWEEP



Scan the QR code and watch a video of Pro Sweep 750 in action!



Pro Sweep 950TGE and 950DE have both manual recoil starter as well as battery start. The battery recharges while the engine is running.

The sweeper can be angled 22° to each side.

Pro Trac 750 + 950: Handle bar is easily turned 180° for use with accessories (eg. sweeper unit). No need to dismantle the gear levers!

The differential lock is an important feature. When locked it ensures both wheels to spin simultaneously. Ideal in slippery conditions (mud, ice, snow etc.)

Direct gearbox transmission gives high ratio power transfer from engine to wheels/tools, reliability and maximum power

Big 5.00 x 10 wheels for increased stability.

Quick clutch system
- no tools needed
for changing accessories!

Sweeping width 80 or 100 cm with strong brushes made for all year cleaning – ideal for snow removal.

PRO SWEEP



Model:	Pro Sweep 750TG	Pro Sweep 750D	Pro Sweep 950TGE	Pro Sweep 950DE
Engine:	Powerline TG720S, 4-stroke/212 cc	Powerline TD420 diesel, 4-stroke/211 cc	Powerline TG920ES, e-start, 4-stroke/420 cc	Powerline TD900E diesel, e-start, 4-stroke/406 cc
Starter:	Recoil	Recoil	Recoil + 12V electric start	Recoil + 12V electric start
Transmission:	1 forward + 1 reverse	1 forward + 1 reverse	3 forward + 3 reverse	3 forward + 3 reverse
Sweeping width:	80 cm	80 cm	100 cm	100 cm
Brush diameter:	45 cm	45 cm	55 cm	55 cm
Wheel size:	4.00 x 8	4.00 x 8	5.00 x 10	5.00 x 10
Handle:	Adjustable	Adjustable	Adjustable	Adjustable
Adjustable sweeper angle:	+/- 22°	+/- 22°	+/- 22°	+/- 22°
Differential lock:	✓	✓	✓	✓
Quick clutch system for attaching tools:	✓	✓	✓	✓
Weight (drive + sweeper unit):	110 kg	120 kg	189 kg	213 kg
Cat. No. drive unit:	90041560	90041570	90041580	90041590
Cat. No. sweeper unit:	90042501 (80 cm)	90042501 (80 cm)	90042502 (100 cm)	90042502 (100 cm)

ACCESSORIES for Pro Sweep

	750	950	Cat. No.:			
Rear tiller 50 cm	•		90042511	Trailer with seat	•	90042514
Rear tiller 37-68 cm		•	90042512	Snow chains for 4.00 x 8 wheels	•	90042508
Sweeper 80 cm	•		90042501	Snow chains for 5.00 x 10 wheels	•	90042509
Sweeper 80 cm		•	90042503	Snow blade 80 cm	•	90042505
Sweeper 100 cm		•	90042502	Snow blade 100 cm	•	90042506
Collection box 80 cm	•		93300200100	LED torch excl. charger for 950DE	•	90067091
Collection box 100 cm	•		90042504	LED torch incl. charger for 950TGE	•	90067092



TEXAS COMBI 800 MULTI MACHINES



Scan and watch a video of Combi 800.

CLICK'N GO tool clutch




1. Press down foot pedal



2. Remove tool



3. Attach new tool



With CLICK'N GO tool clutch

The engine and gearbox is positioned on the centre of the wheelbase. This gives the optimum balance when tools are connected and makes the machine highly manoeuvrable.

The sweeper can be angled 22° to each side.

Strong clutch handle which activates the attached tool.

Ergonomic clutch handle, which makes the machine move (forward and backward).

Model 800TGE is with 230V electric start! Simply attach a cable, push the starter button and the engine starts. Perfect also in cold conditions.

Support leg keeps drive unit upright without tools.

Big snow tyres give perfect grip in snowy conditions.

COMBI 800 MULTI MACHINES



With electric start.



Model:	Combi 800TG	Combi 800TGE	Combi 800B
Engine:	Powerline TG720S, 212 cc	Powerline TG720ES, e-start, 212 cc	Briggs & Stratton 950 series, 205 cc
Transmission:	4 forward + 1 reverse Forward: 1.53 - 2.97 - 4.14 - 5.86 km/t Reverse: 2.31 km/h	4 forward + 1 reverse Forward: 1.53 - 2.97 - 4.14 - 5.86 km/t Reverse: 2.31 km/h	4 forward + 1 reverse Forward: 1.53 - 2.97 - 4.14 - 5.86 km/t Reverse: 2.31 km/h
Quick clutch system:	✓	✓	✓
Starter:	Recoil	Recoil + electric start	Recoil
Wheel size:	16" snow tyres	16" snow tyres	16" snow tyres
Cat. No. drive unit:	90068070	90068062	90068063

TOOLS for Combi 800

	Sweeper	Snow thrower	Snow blade
Working width:	80 cm	61 cm	80 cm
Working height:	-	50 cm	42 cm
Brush diameter:	45 cm	-	-
Adjustable:	Adjustable sweeper angle +/- 22°	Adjustable discharge direction	Adjustable snow blade angle +/- 22°
Blow system:	-	2-stage system	-
Cat. No.:	90068076	90068077	90068078

ACCESSORIES for Combi 800

	Cat. No.:
Snow chains for 4.80 x 8 wheels	90068079
Collection box 80 cm	93300200100
Rechargeable LED torch incl. universal adapter and 230V charger	90067090

DUMPER for Combi 800

Capacity:	Approx. 145 Litres - max 150 kg
Measurements:	84 x 79 x 26 cm
Tip function:	Manually
Wheels:	15 "Pneumatic "balloon type" for rough terrain
Cat. No.:	90068075



The models 7011TGE, and 7613TGE have heated handles.

Snow discharge chute adjustable from control panel.



Scan watch a video of the Snow King snow throwers

Most of the models are with 230V electric start, which is ideal in cold conditions. Simply attach a cable, push the starter button and the engine starts.

The engine is fitted with D-handle on recoil starter.

Special designed wheels with snow tyres give perfect grip in snowy conditions.



SNOW KING SNOW THROWERS

A complete range of powerful snow throwers for homeowners as well as professionals. All models are with 2-stage blowing system and with one-hand operation, which leaves left hand free for operation of speed and thrower direction. Choose between models from 56 cm to 76 cm working width and up to 375 cc engines.



Model:	Snow King 565TG	Snow King 617TGE	Snow King 6195BE	Snow King 7011TGE	Snow King 7613TGE
Engine:	Zongzhen, 163 cc	Loncin, e-start, 212 cc	B&S 950S, e-start, 208 cc	Loncin, 302 cc	Loncin, e-start, 375 cc
Transmission:	3 forward + 1 reverse	6 forward + 2 reverse			
Working width:	56 cm	61 cm	61 cm	70 cm	76 cm
Working height:	51 cm	51 cm	51 cm	54 cm	54 cm
Max. throwing distance:	8-15 m				
Blow system:	2 stage				
Starter:	Recoil	Recoil + electric start			
LED light:	-	-	-	✓	✓
Heated handles:	-	-	-	✓	✓
Capacity:	1120 m ² /hour	1220 m ² /hour	1220 m ² /hour	1400 m ² /hour	1520 m ² /hour
Weight:	73 kg	80 kg	80 kg	117 kg	123 kg
Cat. no.:	90062501	90062503	90062504	90062505	90062509

CENTRIFUGE SPREADERS FOR SALT AND FERTILIZER

All centrifuge spreaders can be used for both winter and summer. In winter periods the effective centrifuge ensures a good layer of salt for keeping snow off the streets and sidewalks. In summer periods an effective spread of fertilizer for the lawns or other areas of growth.



Rustproof metal frame - ideal for winter use with salt!

Ideal for larger areas.

Model:	CS2500	CS3600	CS6000S	Centrifuge spreader for lawn tractor
Capacity:	25 ltr.	36 ltr.	58 ltr.	60 ltr.
Max spreading width:	Up to 2 m	Up to 2 m	Up to 3 m	Up to 2 m
Adjustable dosing:	✓	✓	✓	✓
Big air pressured rubber wheels:	✓	✓	✓	✓
Metal frame:	Steel	Steel	Rustproof steel	Steel
Raincover included:	-	✓	✓	✓
Weight:	10 kg	10 kg	14 kg	14 kg
Cat. no.:	90052014	90052017	90052018	90053036

ELECTRIC AND PUSH SNOW THROWERS



Scan and watch the video of Snow Buster ST1300.



Scan and watch the video of Snow Buster ST1500.



Model:	Snow Buster ST1300	Snow Buster ST1500	Snow Buster 390	Snow Buster 450
Engine:	Electric 230V/1300W	Electric 230V/1500W	Electric 230V/2000W	Powerline, 163 cc
Transmission:	Push	Push	Push	Push
Working width:	26 cm	34 cm	39 cm	52 cm
Working height:	12 cm	12 cm	31 cm	26 cm
Max. throwing distance:	2-5 m	2-5 m	2-8 m	2-8 m
Starter:	-	-	-	Recoil
Blow system:	1 stage	1 stage	1 stage	1 stage
Handle:	Fixed	Fixed	Adjustable	Adjustable
Capacity:	120 m ² /hour	120 m ² /hour	270 m ² /hour	300 m ² /hour
Weight:	5 kg	6.6 kg	14.8 kg	38 kg
Cat. no.:	90062049	90062062	90062061	90062044

TEXAS LOG SPLITTERS



POWER SPLIT 2000HV

Model:	Power Split 2000HV
Engine:	Powerline TG720, 4-stroke/4.2 kW/212 cc
Capacity:	20 ton
Working length:	63 cm
Working position:	Horizontal/vertical
Big rubber wheels:	✓
2 hand operation:	✓
Weight:	202 kg
Cat. no.:	90052079-100



ACCESSORIES

for Power Split 2000HV

Model:	Support plate for logs (1pcs.)
Cat. no.:	90052031



POWER SPLIT LOG SPLITTERS

Texas presents a line of log splitters which fits most needs, if you need a small handy log splitter which is easy to transport and bring along to your summer residence or if you need a larger capacity for your amount of wood.

In the development of this range of log splitters attention has been drawn to obtaining a unique and safe user comfort. Together with high power output and reliability.



Space-saving storage position.



Model:	Power Split 550H	Power Split 540H
Engine:	Electric 230V/1500W	Electric 230V/1500W
Capacity:	5 ton	5 ton
Working length:	52 cm	52 cm
Working position:	Horizontal	Horizontal
2 hand operation:	✓	✓
Weight:	53 kg	47 kg
Cat. no.:	90052084	90052073



Model:	Power Split 600VG	Power Split 600V	Power Split 601V	Power Split 1000V
Engine:	Powerline TG500B, 4-stroke/163 cc	Electric 230V/2200W	Electric 380V/3000W	Electric 380V/4000W
Capacity:	6 ton	6 ton	6 ton	10 ton
Working length:	50-105 cm	50-105 cm	50-105 cm	55-88-130 cm
Working position:	Vertical	Vertical	Vertical	Vertical
2 hand operation:	✓	✓	✓	✓
Weight:	112 kg	114 kg	112 kg	150 kg
Cat. no.:	90052007	90052006	90052005	90052082

ACCESSORIES

for Power Split 600/601

Model:	Cross splitter head
Cat. no.:	90052008



Scan and watch the video of Power Split 600.



POWER SAW LOG SAWS



Model:	Power Saw 2202
Engine:	Electric 230V/2200W
Max sawing diameter:	120 mm
Blade diameter:	40 cm
Weight:	35.5 kg
Cat. no.:	90052071



Model:	Power Saw 3000
Engine:	Electric 380V/3000W
Max sawing diameter:	200 mm
Blade diameter:	60 cm
Weight:	98 kg
Cat. no.:	90052083

TEXAS EARTH AUGERS



**SUITABLE
FOR RENTAL/
PROFESSIONAL USE**
– due to the special
construction.

EARTH AUGERS

Single person operated earth augers. Choose an electric and very effective model with standard 150 mm drill, which is ideal for private house holders. Or choose an earth auger with a strong 52 cc 2-stroke engine.

Model:	EA1200	EA5200	NEG52
Engine:	230V/1200W	2-stroke/52cc/1.82 kW	2-stroke/52 cc/1.9 kW
Drilling depth:	80 cm	70 cm	70 cm
Auger rotation:	200 rpm	Max. 225 rpm	200 rpm
Auger:	Incl. 150 mm auger	Excl. auger	Excl. auger
Ergonomic handle:	✓	✓	✓
Weight:	12.8 kg	11 kg	13 kg
Cat. no.:	90063075	90063091	NEG52

ACCESSORIES for EA5200

		Cat. no.:
100 mm auger		90063092
150 mm auger		90063093
200 mm auger		90063094
200 mm ice auger		90063095
Extention bar 40 cm		90063096

ACCESSORIES for NEG52

		Cat. no.:
100 mm auger		55720040
150 mm auger		55720170
200 mm auger		55720350
Extention bar 40 cm		55750360

TEX PARTS

Choose the accessories you need from our wide Tex Parts assortment.

We can offer you the most commonly used accessories and replacement parts. Most are universal and can therefore be used with all types of garden machines, no matter brand or model.



Brush cutters & trimmers Tex Parts

- Trimmer line 2.0 mm - app. 130 m.....Cat. no. 62005200
- Trimmer line 2.4 mm - app. 90 m.....Cat. no. 62005240
- Trimmer line 1.0 mm - app. 15 m.....Cat. no. 5011-00
- Trimmer line 1.3 mm - app. 15 m.....Cat. no. 5013-00
- Trimmer line 1.6 mm - app. 15 m.....Cat. no. 5012-00
- Trimmer line 2.0 mm - app. 15 m.....Cat. no. 5016-00
- Trimmer line 2.4 mm - app. 15 m.....Cat. no. 5015-00
- Trimmer line 3.0 mm - app. 15 m.....Cat. no. 5017-00

- Trimmer head complete 10 mmCat. no. 402982
- 3-tooth (metal)Cat. no. 5603-255
- 4-tooth (metal)Cat. no. 425103
- 4-tooth (metal)Cat. no. 5604-250
- 8-tooth (metal)Cat. no. 5608-250
- 80-tooth (metal)Cat. no. 5680-250
- Professional harness.....Cat. no. 40-11710

Chain saws Tex Parts

- Chain for saw - 44 links (91VSG-44E)Cat. no. 40-103
- Chain for saw - 45 links (91VSG-45E)Cat. no. 40-104
- Chain for saw - 49 links (91VSG-49E)Cat. no. 40-109
- Chain for saw - 50 links (91VSG-50E)Cat. no. 40-110
- Chain for saw - 52 links (91VSG-52E)Cat. no. 40-111
- Chain for saw - 54 links (91VSC-54E).....Cat. no. 40-115
- Chain for saw - 64 links (21BPC-64E).....Cat. no. 40-210
- Chain for saw - 72 links (21BPC-72E).....Cat. no. 40-213
- Chain for saw - 57 links (91VSG-57E)Cat. no. 40-250

- Chain for saw - 55 links (91VSG-55E)Cat. no. 40-260
- Chain for saw - 56 links (91VSC-56E).....Cat. no. 40-270
- Chain for saw - 64 links (95VP-64E)Cat. no. 40-314
- Chain saw files 4 mm - 3 pcsCat. no. 40-10140
- Chain saw file 4.8 mm - 3 pcs.....Cat. no. 40-10148
- Chain saw file with support 4 mmCat. no. 40-10040H
- Chain saw file with support 4.8 mmCat. no. 40-10048H
- File Kit 4 mmCat. no. 40-10060
- File kit 4.8 mm.....Cat. no. 40-10070

Oil products Tex Parts

- Hydraulic oil Texamatic 7045, 1 ltr.....Cat. no. 90306479
- Multifak grease, 0.5 ltr. (for the chain case for all tillers).....Cat. no. 90306500
- 2-stroke oil, 0.1 ltrCat. no. 90406520
- 2-stroke oil, 1 ltrCat. no. 90406521
- Chain oil 1, ltr.....Cat. no. 90406590
- Chain oil 4, ltr.....Cat. no. 90306495
- SAE 30 engine oil, 0.6 ltrCat. no. 90406500

- Biological oil for hedge trimmer cutting edge, 1 ltr..Cat. no. 90306507
- Hytex nozzle tube, 400 g (for PFS flex-shaft).....Cat. no. 90306510
- Gear oil 80W9042TR, 4 ltrCat. no. 90306502
- (for Pro Trac gear + rotary tiller).....Cat. no. 40-11336
- Oil change kitCat. no. 40-11336
- MOTEX engine oil, 1 ltr.....Cat. no. 90306455

Various Tex Parts

- Universal starter cable with handle 4 mm.....Cat. no. 40-11330
- Safety helmet with face protection.....Cat. no. 40-11700

COLLECTION OF QR CODES



Video of El-Tex 2000



Video of Hobby tiller



Video of TX tiller



Video of Handy Sweep



Video of Power Split 600



Video of Pro Sweep



Video of Combi 800



Video of Snow King



Video of CS3600



Video of Snow Buster ST1300



Video of Snow Buster ST1500



THE TEXAS STORY

The year is 1960 – “The Texas Year”

The company Texas is founded in 1960 in Odense, Denmark. This is where the beginning of a business success takes place – but how did it all start up?

Here follows some history:

Andreas Petersen, a fresh and youthful son of a farmer from the Southern part of Denmark, had in the 1950'es the wish to see something of the big wide world. He wished to go to Texas in the USA.

It was particularly the forestry, Andreas Petersen was interested in, and in the USA he got acquainted with a tool which within a couple of years should revolutionize the forestry in Denmark – the chain saw!

Sales possibilities in Denmark

After getting back to Denmark, Andreas Petersen was convinced about the sales possibilities for the Danish forests and forest workers. He quickly discovered an enormous interest in the products in the Danish forests and the success was instant.

Later came a rising interest for having the digging work in the kitchen garden mechanised. As a result in 1964 Andreas Petersen started to import the English manufactured tiller under the name Auto Culto.

Mr. “Texas”

Andreas Petersen realised his dream about becoming independent and getting his own company. What was more natural than to name the company “TEXAS”? Not only because this was the nickname

Andreas Petersen received when working in the forests but also because everything from the US was very popular in this particular period.

Selling tillers

Andreas Petersen now participated in several fairs, which gave him the option to show the product and the interest was enormous.

Consequently he started developing his own tiller for the Danish market and in January 1966 Andreas Petersen's first Danish manufactured tiller was a reality.

Development of the company Texas

In the following years the company experienced an enormous growth. Stiga, the Swedish lawn mower manufacturer, caught interest in Andreas Petersen and his “garden machine”.

This was the beginning of a true export adventure. During the following 10 years 60% of the production of the company was exported to more than 25 countries. Later on also many other partners in Europe helped founding the basis of Texas as an international company.

Through the years Texas has succeeded in maintaining its market position and stay as one of the top suppliers and manufacturers within total solutions for the garden and outdoor industry. Not alone due to the strong products, and wide product range, large range of accessories and a high quality after sales service. But also especially due to constant product development in close dialogue with the customers and users.

